
THIS PACKAGE HAS BEEN CREATED AS A MEANS TO SHOW THE OVERALL BUILDING SIZE AND LAYOUT OF THE INDIVIDUAL PIECES.

classic series iso

THIS IS NOT A "FOR CONSTRUCTION" PACKAGE PLEASE CONTACT NOVADOME FOR AN ENGINEERED PACKAGE.



Α	DRAFTING RELEASE. NOT FOR CONSTRUCTION	BS	
REV.	DESCRIPTION	DRAWN BY	APPROVED


	SHEETLIST		
PAGE 1	CLASSIC SERIES ISO		
PAGE 2	CLASSIC SERIES DOMES DIMENSIONS		
PAGE 3	BILL OF MATERIALS		
PAGE 4	CONSTRUCTION ASSEMBLIES		
PAGE 5	GENERAL NOTES		

Y Y	DIVLESS OTHE	KVVISE SFECIFIED	
	FRACTIONS	= ± 1/16	
	.X	$= \pm 0.030$	
	.XX	$= \pm 0.015$	
	.XXX	$= \pm 0.005$	
	ANGLES	= ± 1/2°	
	REMOVE ALI CORNERS	L BURRS AND SHARP	


NO'	$\bigvee \bigwedge$	DO	M	E
20 22000000				
				SHEET

1 OF 5

THIS DRAWING AND THE PROPRIETARY DESIGNS ARE THE PROPERTY OF NOVADOME. COPYING OR REPRODUCTION IN WHOLE OR IN PART, IS PROHIBITED WITHOUT WRITTEN CONSENT FROM NOVADOME




classic series bill of materials




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	NOVA-001-20-A	PANEL A	5
2	NOVA-001-20-B	PANEL B	1
3	NOVA-001-20-C	PANEL C	4
4	NOVA-001-20-D	PANEL D	4
5	NOVA-001-20-E	PANEL E	1
6	NOVA-001-20-F	PANEL F	1
7	NOVA-001-20-G	PANEL G	4
8	NOVA-001-20-H	PANEL H	1

NOTE:

WINDOW PANEL E ARE INTERCHANGEABLE WITH PANEL D DOOR PANEL B ARE INTERCHANGEABLE WITH PANEL C





construction assemblies NOVA DOME-1/2" EPS BOARD ANCHOR WITH: MIN 3/8" X 4" ANCHORS WITH A MINIMUM SPACING OF 16" AROUND PERIMETER CONTINUOUS SEALANT AROUND INSIDE PERIMETER CONTINUOUS SEALANT AROUND OUTSIDE PERIMETER -FOUNDATION (BY OTHERS) SLOPE BACK FILL 5% FOR 5FT WALL DESCRIPTION: - FIBREGLASS NOVADOME - 1/2" EPS BOARD WITH A FABRIC FINISH UNLESS OTHERWISE SPECIFIED FRACTIONS = ± 1/16 NOVA DOME $= \pm 0.030$ $= \pm 0.015$.XXX = ± 0.005 ANGLES = $\pm 1/2^{\circ}$ REMOVE ALL BURRS AND SHARP CORNERS SHEET 4 OF 5 THIS DRAWING AND THE PROPRIETARY DESIGNS ARE THE PROPERTY OF NOVADOME, COPYING OR REPRODUCTION IN WHOLE OR IN PART, IS PROHIBITED WITHOUT WRITTEN CONSENT FROM NOVADOME

